


Jofco

Casegood Accessories
Effective: January 1, 2012

j


2012
CASEGOOD ACCESSORIES

KEYBOARD STORAGE	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
	<p>Articulating Keyboard</p> <p>Standard Features standard black keyboard shelf leveler controlled slide mouse pad (L or R)</p>	AKB-30MPWP	22	17¼	6	718
	<p>Specify Options</p>					
	<p>Articulating Keyboard</p> <p>Standard Features wood keyboard shelf, tilt control EZ riser and hinged mouse pad (L or R)</p>	EZR-22KBW	22	17¼	6	392
	<p>Specify Options 1. walnut, cherry, or maple veneer*</p>					
	<p>Articulating Keyboard</p> <p>Standard Features standard black keyboard shelf, tilt control EZ riser and hinged mouse pad (L or R)</p>	EZR-22KBP	22	17¼	6	392
	<p>Specify Options</p>					
	<p>Curved Keyboard Shelf</p> <p>Standard Features use on curved corner credenzas and corner units standard black keyboard shelf</p>	EZR-22CS	26	17¼	6	482
	<p>Specify Options</p>					
	<p>Pull-out Keyboard Drawer</p> <p>Standard Features slide-out keyboard board tray with standard black keyboard shelf and slide mouse pad (L or R) width of tray is 22"</p>	KBD4470D	24¼	17	4	344
	<p>Specify Options</p>					

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: AKB-30MPWP

KEYBOARD STORAGE	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
------------------	-------------------	-------	---	---	---	-------



Keyboard Drawer	KBCD-30	28	16	4½	467
	KBCD-26	25¾	16	4½	


Standard Features

use in desks and kneespace credenzas
sizes indicate necessary clearance for installation

Specify Options

1. walnut, cherry, or maple veneer*

LEATHER DESK PAD	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
------------------	-------------------	-------	---	---	---	-------



Leather Desk Pad	LDP-34	34	20	¼	959
	LDP-22	22	14	¼	


Standard Features

use on work surfaces

Specify Options

1. antique leather choices; blackberry, antique blue, navy, evergreen, rouge, walnut, brown, ebony
2. absolute leather choices; vanilla, seafoam, greige
3. accurate leather choices; ultramarine, austin, wet sand, plum, brown, black

CPU HOLDER	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
------------	-------------------	-------	---	---	---	-------




CPU Holder	DC-CPUH					604
------------	---------	--	--	--	--	-----

Standard Features

slides easily and smoothly on nylon glides in 16" track
rotates 360 degrees for access to cables and ports
mounts under work surface tops
fits CPU's 5" to 9½" wide by 12" to 22" high

Specify Options

UNDER WORKSURFACE FILING SYSTEM	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
---------------------------------	-------------------	-------	---	---	---	-------





Under WorkSurface Filing System	DC-WFP	14¼	17¾	6¾	154
---------------------------------	--------	-----	-----	----	-----


Standard Features


attaches under work surfaces

Specify Options

HANGING CD RACK	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE			
	Hanging CD Rack	DC-CDRACK	5¾	12¾	6¼	21			
	Standard Features hangs in letter size file systems or under work surface filing system	Specify Options							


CUSTOM TACKBOARD	DESCRIPTION/NOTES	MODEL	W	D	H	A B C	D E F	G H I	J K L
	Custom Tackboard, ** Call for Quote **	HTB-CUSTOM				53	56	62	71
	Standard Features custom tackboard prices per square foot	Specify Options 1. minimum charge for any size tackboard regardless of fabric grade, \$389							


TASK LIGHTS	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE			
	Fluorescent Tasklight	GP9TLT1-0759	58¾	7	1¾	314			
		GP9TLT1-0748	48¾	7	1¾	301			
		GP9TLT1-0724	24¾	7	1¾	264			
	Standard Features attaches above workspace area on overhead and wall hung storage units length of cord 7'	Specify Options							


	LED Tasklight	GP9LTL1-0260	60	2	1	314			
		GP9LTL1-0248	48	2	1	301			
		GP9LTL1-0224	24	2	1	264			
	Standard Features solid aluminum alloy base frosted diffuser creates a softer light & eliminates hot spots rocker switch 120V AC with built-in power supply average life of 50,000 hours	Specify Options							


How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: AKB-30MPWP

PAPER MANAGEMENT	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
	Metal Paper Management Insert with Five Shelves	PM2015	13 $\frac{3}{4}$ "	10 $\frac{1}{2}$ "	20 $\frac{1}{2}$ "	694
	Standard Features black metal shelves adjustment every 1/2"	Specify Options				

	Paper Management	PM8617 (set of two)	17 $\frac{1}{2}$ "	11 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	807
		PM8617L	17 $\frac{1}{2}$ "	11 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	440
		PM8617R	17 $\frac{1}{2}$ "	11 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	440
	Standard Features two adjustable metal shelves PM8617L: use on left side PM8617R: use on right side	Specify Options				

BRACKETS	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
	Flat Metal Bracket	GP9FTB1-0310	10	3	1/8"	29
	Standard Features shipped with screws connects tops of the same height one required for every 10" of top depth	Specify Options				

	Angle Bracket	6-AB	6	1/8"	3/8"	33
	Standard Features shipped with screws attaches tops to sides of modulares one required for every 10" of top depth	Specify Options				

GROMMETS	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
----------	-------------------	-------	---	---	---	-------



Work Surface Grommet

WSG-3
WSG-2

3 3
2 2

167
167

Standard Features

WSG-3: 2¾" diameter opening for wire management
WSG-2: 1¾" diameter opening for wire management

Specify Options



Rectangular Panel Grommet


RPG-4

4 2

428

Standard Features

Specify Options



Wire Route Grommet

PSG-17

17¼ 1¼

376

Standard Features


install on top or modesty panel horizontally
black only

Specify Options

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: AKB-30MPWP

J-SHAPE WIRE MANAGEMENT	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
-------------------------	-------------------	-------	---	---	---	----	-------

	"J" Shape Wire Manager, Metal management of power strips, wires, cable and cords	GP9JWM2-0360	60	2½	2½	25	217
		GP9JWM2-0342	42	2½	2½	20	183
		GP9JWM2-0324	24	2½	2½	5	133

Standard Features
management of power strips, wires, cable and cords


Specify Options

	"J" Shape Wire Manager, Plastic management of wires, cables and cords	GP9JWM1-0124	24	1	1½	10	93
---	---	--------------	----	---	----	----	----

Standard Features
management of wires, cables and cords

Specify Options


WORKSURFACE POWER	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
-------------------	-------------------	-------	---	---	---	----	-------

	Pull-Up Power Unit easy access to electrical outlets at table-top height equipped with circuit breaker 3 outlets 6 ft cord UL listed field installed	GP9ACU1-0403	2½	4¾	8¼	0	314
--	---	--------------	----	----	----	---	-----

Standard Features
easy access to electrical outlets at table-top height
equipped with circuit breaker
3 outlets
6 ft cord
UL listed
field installed

Specify Options

WORKSURFACE POWER & DATA	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
--------------------------	-------------------	-------	---	---	---	----	-------

	Work Surface Interact Power and Telecommunications Center two electrical outlets one voice/data port voice/data adapter kit voice/data jacks & couplers sold separately 6 ft, 15A/125V cord self closing lid (spring loaded) recesses in the bottom permit excess cord storage when unit is in use for extended time period field installed	GP9ACC1-0408	8¾	4¾	27¼	0	555
---	--	--------------	----	----	-----	---	-----

Standard Features
two electrical outlets
one voice/data port
voice/data adapter kit
voice/data jacks & couplers sold separately
6 ft, 15A/125V cord
self closing lid (spring loaded)
recesses in the bottom permit excess cord storage when unit is in use for extended time period
field installed

Specify Options