




BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
 <p style="text-align: center; font-size: 2em; font-weight: bold;">QSP</p>	Broadcast Tandem Standard Features exposed wood seat frame partially upholstered back seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ com ydg: 1½ col sq ft: 27 frame exterior and seat box frame are dowel; construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-1 UGG57-1-QSP Specify Options 1. finish* 2. textile or leather* 3. cal133 UGA57-1-QSP is available in 15 days in a standard finish and a textile from pgs. 6-7.	22¼	23	32¼	23	COM 978 A 1005 B 1023 C 1042 D 1061 E 1080 F 1113 G 1151 H 1188 I 1230 J 1275 K 1323 L 1376 M 1432 COL 1084 LE1 1084 LE2 1195 LE3 1249 LE4 1431
	Broadcast Tandem Standard Features two-seat with shared arm exposed wood seat frame partially upholstered back seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ com ydg: 2¼ col sq ft: 41 frame exterior is dowel construction reinforced with corner blocks; seat box frame is dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-2 Specify Options 1. finish* 2. textile or leather* 3. cal133	42¾	23	32¼	42	COM 1702 A 1742 B 1770 C 1798 D 1826 E 1854 F 1905 G 1961 H 2017 I 2079 J 2147 K 2220 L 2299 M 2383 COL 1863 LE1 1863 LE2 2032 LE3 2114 LE4 2391
	Broadcast Tandem Standard Features three-seat with shared arms exposed wood seat frame partially upholstered back seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ com ydg: 3 col sq ft: 54 frame exterior and seat box frame are dowel; construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay	UGG57-3 Specify Options 1. finish* 2. textile or leather* 3. cal133	63½	23	32¼	61	COM 2292 A 2344 B 2382 C 2419 D 2457 E 2494 F 2562 G 2637 H 2712 I 2794 J 2884 K 2982 L 3087 M 3199 COL 2502 LE1 2502 LE2 2725 LE3 2833 LE4 3198

How To Order:




Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray



BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Broadcast Tandem Standard Features two-seat, armless middle exposed wood seat frame partially upholstered back seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ com ydg: 2¼ col sq ft: 41 frame exterior is dowel construction reinforced with corner blocks; seat box frame is dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-2AM Specify Options 1. finish* 2. textile or leather* 3. cal133	42¾	23	32¾	42	COM 1625 A 1665 B 1693 C 1721 D 1749 E 1777 F 1828 G 1884 H 1940 I 2002 J 2070 K 2143 L 2222 M 2306 COL 1786 LE1 1786 LE2 1955 LE3 2037 LE4 2314
		Broadcast Tandem Standard Features three-seat, armless middle exposed wood seat frame partially upholstered back seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ com ydg: 3 col sq ft: 54 frame exterior is dowel construction reinforced with corner blocks; seat box frame is dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-3AM Specify Options 1. finish* 2. textile or leather* 3. cal133	63½	23	32¾	61
		Broadcast Tandem Standard Features one seat with table on left exposed wood seat frame partially upholstered back straight grain maple table top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 1½ col sq ft: 27 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-2LT Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133	44½	23	32¾	43
		Broadcast Tandem Standard Features one seat with table on right exposed wood seat frame partially upholstered back straight grain maple table top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 1½ col sq ft: 27 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-2RT Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133	44½	23	32¾	43

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Broadcast Tandem</p> <p>Standard Features two seat with table on left exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 2¼ col sq ft: 41 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	<p>UGG57-3LT</p> <p>Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133</p>	65½	23	32¾	66	<p>COM 2319 A 2359 B 2387 C 2415 D 2443 E 2471 F 2522 G 2578 H 2634 I 2696 J 2764 K 2837 L 2916 M 3000 COL 2480 LE1 2480 LE2 2649 LE3 2731 LE4 3008</p>
	<p>Broadcast Tandem</p> <p>Standard Features two seat with table in middle exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 2¼ col sq ft: 41 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	<p>UGG57-3MT</p> <p>Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133</p>	63½	23	32¾	66	<p>COM 2394 A 2434 B 2462 C 2490 D 2518 E 2546 F 2597 G 2653 H 2709 I 2771 J 2839 K 2912 L 2991 M 3075 COL 2555 LE1 2555 LE2 2724 LE3 2806 LE4 3083</p>
	<p>Broadcast Tandem</p> <p>Standard Features two seat with table on right exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 2¼ col sq ft: 41 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	<p>UGG57-3RT</p> <p>Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133</p>	65½	23	32¾	66	<p>COM 2319 A 2359 B 2387 C 2415 D 2443 E 2471 F 2522 G 2578 H 2634 I 2696 J 2764 K 2837 L 2916 M 3000 COL 2480 LE1 2480 LE2 2649 LE3 2731 LE4 3008</p>

How To Order:



Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Broadcast Tandem</p> <p>Standard Features one seat, corner table, two seat exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 3 col sq ft: 54 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	UGG57-1CT2	47¾	68	32¾	91	<p>COM 2972</p> <p>A 3024</p> <p>B 3062</p> <p>C 3099</p> <p>D 3137</p> <p>E 3174</p> <p>F 3242</p> <p>G 3317</p> <p>H 3392</p> <p>I 3474</p> <p>J 3564</p> <p>K 3662</p> <p>L 3767</p> <p>M 3879</p> <p>COL 3182</p> <p>LE1 3182</p> <p>LE2 3405</p> <p>LE3 3513</p> <p>LE4 3878</p>
	<p>Specify Options</p> <ol style="list-style-type: none"> 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133 						
	<p>Broadcast Tandem</p> <p>Standard Features two seat, corner table, one seat exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 3 col sq ft: 54 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	UGG57-2CT1	68	47¾	32¾	91	<p>COM 2972</p> <p>A 3024</p> <p>B 3062</p> <p>C 3099</p> <p>D 3137</p> <p>E 3174</p> <p>F 3242</p> <p>G 3317</p> <p>H 3392</p> <p>I 3474</p> <p>J 3564</p> <p>K 3662</p> <p>L 3767</p> <p>M 3879</p> <p>COL 3182</p> <p>LE1 3182</p> <p>LE2 3405</p> <p>LE3 3513</p> <p>LE4 3878</p>
	<p>Specify Options</p> <ol style="list-style-type: none"> 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133 						
	<p>Broadcast Tandem</p> <p>Standard Features two seat, corner table, two seat exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 18½ table height: 18¼ com ydg: 4 col sq ft: 72 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam</p>	UGG57-2CT2	68	68	32¾	114	<p>COM 3785</p> <p>A 3855</p> <p>B 3905</p> <p>C 3955</p> <p>D 4005</p> <p>E 4055</p> <p>F 4145</p> <p>G 4245</p> <p>H 4345</p> <p>I 4455</p> <p>J 4575</p> <p>K 4705</p> <p>L 4845</p> <p>M 4995</p> <p>COL 4066</p> <p>LE1 4066</p> <p>LE2 4363</p> <p>LE3 4507</p> <p>LE4 4993</p>
	<p>Specify Options</p> <ol style="list-style-type: none"> 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133 						

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Broadcast Tandem Standard Features two seat, corner table, three seat exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 5 col sq ft: 90 frame exterior, seat box frame and table frame are dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-2CT3 Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133	68	88%	32¼	160	COM 4549 A 4636 B 4699 C 4761 D 4824 E 4886 F 4999 G 5124 H 5249 I 5386 J 5536 K 5699 L 5874 M 6061 COL 4900 LE1 4900 LE2 5271 LE3 5451 LE4 6059
		Broadcast Tandem Standard Features three seat, corner table, two seat exposed wood seat frame partially upholstered back straight grain maple top seat width: 19 seat height: 18½ seat depth: 17½ arm height: 26½ table height: 18¼ com ydg: 5 col sq ft: 90 frame exterior, seat box frame and table frame is dowel construction reinforced with corner blocks; back frame is solid hardwood joined with double dowels; seat foundation is plywood, interlaced webbing; seat interior is high resilient, high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGG57-3CT2 Specify Options 1. finish* 2. textile or leather* 3. laminate top on table 4. cal133	88%	68	32¼	160









How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Broadcast Tandem Standard Features back module back width: 19¼ back height: 13½ back depth: 3 com ydg:¾ col sq ft: 14 back frame is joined by dowels, routed for mounting hardware; back support is webbing with woven overlay; back interior is high density foam	UGM57-B Specify Options 1. textile or leather* 2. cal133	19¼	3	13½	5	COM 222 A 235 B 245 C 254 D 263 E 273 F 290 G 308 H 327 I 348 J 370 K 395 L 421 M 449 COL 277 LE1 277 LE2 335 LE3 363 LE4 458
	Broadcast Tandem Standard Features seat module seat width: 19¼ seat height: 1¾ seat depth: 19 com ydg:¾ col sq ft: 14 seat foundation is plywood, interlaced webbing; seat interior is high resilient high density foam with Dacron wrap	UGM57-S Specify Options 1. textile or leather* 2. cal133	19¼	19	1¾	8	COM 157 A 170 B 180 C 189 D 198 E 208 F 225 G 243 H 262 I 283 J 305 K 330 L 356 M 384 COL 212 LE1 212 LE2 270 LE3 298 LE4 393
	Broadcast Tandem Standard Features back and seat seat width: 19¼ seat height: 4 seat depth: 19 back width: 19¼ back height: 13½ back depth: 3 com ydg: 1½ col sq ft: 27 back frame is joined by dowels, routed for mounting hardware; seat foundation is plywood, interlaced webbing; seat interior is high resilient high density foam with Dacron wrap; back support is webbing with woven overlay; back interior is high density foam	UGM57-BS Specify Options 1. textile or leather* 2. cal133	19¼	3	13½	13	COM 480 A 507 B 525 C 544 D 563 E 582 F 615 G 653 H 690 I 732 J 777 K 825 L 878 M 934 COL 586 LE1 586 LE2 697 LE3 751 LE4 933








How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.Maharam.MilestoneMediumGray

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
 	<p>Broadcast Tandem</p> <p>Standard Features middle support without arm for use between two chairs frame is joined by dowels</p>	<p>UGM57-AM</p> <p>Specify Options 1. finish*</p>	1½	19		4	PRICE 279
 	<p>Broadcast Tandem</p> <p>Standard Features arm height: 26½ framed is joined by dowels</p>	<p>UGM57-LE</p> <p>Specify Options 1. finish*</p>	1½	19	26½	4	PRICE 302
 	<p>Broadcast Tandem</p> <p>Standard Features arm height: 26½ frame is joined by dowels</p>	<p>UGM57-RE</p> <p>Specify Options 1. finish*</p>	1½	19	26½	4	PRICE 302
 	<p>Broadcast Tandem</p> <p>Standard Features middle support with arm for use between chair and table arm height: 26½ frame is joined by dowels</p>	<p>UGM57-ME</p> <p>Specify Options 1. finish*</p>	1½	19	26½	4	PRICE 302

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

BROADCAST TANDEM	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
 	<p>Broadcast Tandem</p> <p>Standard Features table module for use between chairs frame is joined by dowels installed height: 18¼</p>	UGM57-IT	19	19½	2¾	17	PRICE 466
 	<p>Broadcast Tandem</p> <p>Standard Features table module frame is joined by dowels</p>	UGM57-LT	22¼	19½	18¼	23	PRICE 642
 	<p>Broadcast Tandem</p> <p>Standard Features table module frame is joined by dowels</p>	UGM57-RT	22¼	19½	18¼	23	PRICE 642
 	<p>Broadcast Tandem</p> <p>Standard Features corner table module makes 90 degree turn leg positioned in corner of table frame is joined by dowels installed height: 18¼</p>	UGM57-CT-90	25¼	25¼	18¼	26	PRICE 721