















54"H SPINE WALL WITH WIRE ACCESS PANEL	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	54" Dual Spine Wall with Wire Access Panel Standard Features use against storage units with a wire access panel three panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	CS-SWD4542-54-WC1	42	6	53¼	2920	3141
		CS-SWD4536-54-WC1	36	6	53¼	2503	2700
		CS-SWD4524-54-WC1	24	6	53¼	1642	1789
		Specify Options	1. upper 2 panels: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper 2 panels: textile, veneer or paint side B* 4. lower 3 panels: veneer or paint side B*				
	54" Dual Spine Wall with Dual Wire Access Panels Standard Features use against storage units with a wire access panel three panels with extruded aluminum hardware dual sided wire access panels telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	CS-SWD4542-54-WC2	42	6	53¼	2870	3091
		CS-SWD4536-54-WC2	36	6	53¼	2428	2625
		CS-SWD4524-54-WC2	24	6	53¼	1542	1689
		Specify Options	1. upper 2 panels: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper 2 panels: textile, veneer or paint side B* 4. lower panel: veneer or paint side B*				
	54" Corridor Spine Wall with Wire Access Panel Standard Features use against storage units with a wire access panel three panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	CS-SWC4542-54-WC	42	6	53¼	2454	2677
		CS-SWC4536-54-WC	36	6	53¼	2097	2293
		CS-SWC4524-54-WC	24	6	53¼	1362	1609
		Specify Options	1. upper 2 panels: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. full panel: veneer or paint side B* 4. access base on corridor side, add \$87				
	54" Extruded Corridor Spine Wall with Wire Access Panel Standard Features use against storage units with a wire access panel three panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	CS-SWEC4542-54-WC	42	6	53¼	2406	2627
		CS-SWEC4536-54-WC	36	6	53¼	2054	2251
		CS-SWEC4524-54-WC	24	6	53¼	1331	1478
		Specify Options	1. upper 2 panels: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper 2 panels: textile, veneer or paint side B* 4. lower 3 panels: veneer or paint side B*				
	54" Single Spine Wall with Wire Access Panel Standard Features use against storage units with a wire access panel three panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	CS-SWS4542-54-WC	42	6	53¼	1991	2103
		CS-SWS4536-54-WC	36	6	53¼	1692	1791
		CS-SWS4524-54-WC	24	6	53¼	1083	1157
		Specify Options	1. upper 2 panels: textile, veneer or paint side A* 2. lower panel: veneer or paint side A*				

How To Order: Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: CS-SWD4536-44-WC.WL.SN


44"H SPINE WALL WITH WIRE ACCESS PANEL	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
 <p>side A side B</p>	44" Dual Spine Wall with Wire Access Panel	CS-SWD4542-44-WC1	42	6	43½	2346	2494
		CS-SWD4536-44-WC1	36	6	43½	2001	2125
		CS-SWD4524-44-WC1	24	6	43½	1195	1369
	Standard Features use against storage units with a wire access panel two panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	Specify Options 1. upper panel: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper panel: textile, veneer or paint side B* 4. lower 3 panels: veneer or paint side B*					
 <p>side A side B</p>	44" Dual Spine Wall with Dual Wire Access Panels	CS-SWD4542-44-WC2	42	6	43½	2296	2444
		CS-SWD4536-44-WC2	36	6	43½	1901	2025
		CS-SWD4524-44-WC2	24	6	43½	1095	1269
	Standard Features use against storage units with a wire access panel two panels with extruded aluminum hardware dual sided wire access panels telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	Specify Options 1. upper panel: veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper panel: veneer or paint side B* 4. lower panel: veneer or paint side B*					
 <p>side A side B</p> <p>optional access base</p>	44" Corridor Spine Wall with Wire Access Panel	CS-SWC4542-44-WC	42	6	43½	1969	2115
		CS-SWC4536-44-WC	36	6	43½	1622	1794
		CS-SWC4524-44-WC	24	6	43½	1067	1141
	Standard Features use against storage units with a wire access panel two panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	Specify Options 1. upper panel: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. full panel: veneer or paint side B* 4. access base on corridor side, add \$87					
 <p>side A side B</p>	44" Extruded Corridor Spine Wall with Wire Access Panel	CS-SWEC4542-44-WC	42	6	43½	1919	2067
		CS-SWEC4536-44-WC	36	6	43½	1741	1864
		CS-SWEC4524-44-WC	24	6	43½	1037	1110
	Standard Features use against storage units with a wire access panel two panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	Specify Options 1. upper panel: textile, veneer or paint side A* 2. lower panel: veneer or paint side A* 3. upper panel: textile, veneer or paint side B* 4. lower 3 panels: veneer or paint side B*					
 <p>side A</p>	44" Single Spine Wall with Wire Access Panel	CS-SWS4542-44-WC	42	6	43½	1589	1664
		CS-SWS4536-44-WC	36	6	43½	1342	1403
		CS-SWS4524-44-WC	24	6	43½	842	878
	Standard Features use against storage units with a wire access panel two panels with extruded aluminum hardware single sided wire access panel telescopic feet provide 1½" leveling adjustment 42" w cut-out: 25¼" x 7¾" 36" w cut-out: 31¼" x 7¾" 24" w cut-out: 9¾" x 8"	Specify Options 1. upper panel: textile, veneer or paint side A* 2. lower panel: veneer or paint Side A*					

STORAGE UNITS WITH WIRE ACCESS PANEL	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	40" w Equipment Storage with Wire Access Panel	CS-RCP4540EQL-2F-WC	40	22	27¾	1498	1588
		CS-RCP4540EQR-2F-WC	40	22	27¾	1498	1588
	Standard Features use against spine wall with a wire access panel hinged door, 22" file/file drawers, 18" grommet in rear of 22" hinged door unit locking drawers letter filing, front to back or side to side legal filing, side to side telescopic feet provide 1½" leveling adjustment hinged door determines left or right 22" cut-out: 17¼" x 8" 18" cut-out: 13¼" x 8"	Specify Options 1. veneer* 2. finish* 3. paint color on door & drawer fronts 4. locking door, add \$111					
	40" w Equipment Storage with Wire Access Panel	CS-RCP4540EQL-BBF-WC	40	22	27¾	1498	1588
		CS-RCP4540EQR-BBF-WC	40	22	27¾	1498	1588
	Standard Features use against spine wall with a wire access panel hinged door, 22" box/box/file drawers, 18" grommet in rear of 22" hinged door unit locking drawers letter filing, front to back or side to side legal filing, side to side telescopic feet provide 1½" leveling adjustment hinged door determines left or right 22" cut-out: 17¼" x 8" 18" cut-out: 13¼" x 8"	Specify Options 1. veneer* 2. finish* 3. paint color on door & drawer fronts 4. locking door, add \$111					
	36" w Pencil/Box/Lateral with Wire Access Panel	CS-RCPS4536-PBL-WC	36	22	26½	1873	1985
	Standard Features use against spine wall with a wire access panel spacers shown here for suggested placement when top aligns with case end spacers shipped with unit 2 pencil/box drawers, 18" 1 lateral file, 36" locking drawers letter filing, front to back or side to side legal filing, side to side telescopic feet provide 1½" leveling adjustment cut-out: 31¼" x 8"	Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts					
	36" w File Center with Wire Access Panel	CS-RCP4536L-BFD-WC	36	22	27¾	1895	2007
		CS-RCP4536R-BFD-WC	36	22	27¾	1895	2007
right shown	Standard Features use against spine wall with a wire access panel locking drawers top file drawer determines left or right telescopic feet provide 1½" leveling adjustment file drawer: letter filing, front to back or side to side; legal filing side to side lateral file: letter/legal filing, front to back or side to side cut-out: 31¼" x 8"	Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts					

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: CS-SWD4536-44-WC.WL.SN


STORAGE UNITS WITH WIRE ACCESS PANEL	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	<p>36" w Two Drawer Lateral File with Wire Access Panel</p> <p>Standard Features use against spine wall with a wire access panel locking lateral file drawers letter/legal filing, front to back or side to side telescopic feet provide 1½" leveling adjustment cut-out: 31¼" x 8"</p> <p>Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts</p>	CS-2FD4536-WC	36	22	27¾	1873	1991
	<p>36" w One Drawer Lateral File with Wire Access Panel</p> <p>Standard Features use against spine wall with a wire access panel locking lateral file drawer grommet in top center rear letter/legal filing, front to back or side to side telescopic feet provide 1½" leveling adjustment cut-out: 31¼" x 8"</p> <p>Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts</p>	CS-1FD4536-WC	36	22	16¼	1098	1163
	<p>18" w File/File with Wire Access Panel</p> <p>Standard Features use against spine wall with a wire access panel locking drawers letter/legal filing, front to back or side to side legal filing, side to side telescopic feet provide 1½" leveling adjustment cut-out: 13¼" x 8"</p> <p>Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts</p>	CS-RCP4518-2F-WC	18	22	27¾	1575	1682
	<p>18" w Pencil/Box/File with Wire Access Panel</p> <p>Standard Features use against spine wall with a wire access panel locking drawers letter/legal filing, front to back or side to side legal filing, side to side telescopic feet provide 1½" leveling adjustment cut-out: 13¼" x 8"</p> <p>Specify Options 1. veneer* 2. finish* 3. paint color on drawer fronts</p>	CS-RCP4518-PBF-WC	18	22	27¾	1575	1682

CREDENZAS	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE	
 <p>optional cushion shown</p>	36" w Bench with Lateral File	CS-1FD4536	36	22	16¼		W/O CUSHION 1098 COM/A 1147	
	Standard Features locking lateral file drawer letter/legal filing, front to back or side to side telescopic feet provide 1½" leveling adjustment	Specify Options 1. veneer* 2. finish* 3. paint color on drawer front 4. M2 anegre, add \$70 5. textile, see www.jofco.com						B 1166 C 1184 D 1203 E 1222 F 1241 G 1278 H 1316 I 1372 J 1391 K 1477 L 1552
		standard without cushion optional with cushion, select A-L						
	30" w Bench with Lateral File	CS-1FD4530	30	22	16¼		W/O CUSHION 1043 COM/A 1087	
	Standard Features locking lateral file drawer letter/legal filing, front to back or side to side telescopic feet provide 1½" leveling adjustment	Specify Options 1. veneer* 2. finish* 3. paint color on drawer front 4. M2 anegre, add \$68 5. textile, see www.jofco.com						B 1103 C 1119 D 1134 E 1150 F 1166 G 1197 H 1228 I 1275 J 1291 K 1362 L 1425
		standard without cushion optional with cushion, select A-L						
	24" w Bench with Lateral File	CS-1FD4524	24	22	16¼		W/O CUSHION 988 COM/A 1028	
	Standard Features locking lateral file drawer letter/legal filing, front to back or side to side telescopic feet provide 1½" leveling adjustment	Specify Options 1. veneer* 2. finish* 3. paint color on drawer front 4. M2 anegre, add \$64 5. textile, see www.jofco.com						B 1041 C 1053 D 1066 E 1078 F 1091 G 1116 H 1141 I 1178 J 1191 K 1248 L 1298
		standard without cushion optional with cushion, select A-L						

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

CREDENZAS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
-----------	-------------------	-------	---	---	---	----	----



36" w Pencil/Box/File Credenza with Spacers

CS-RCPS4536-PBL

36 22 26½

1375

1482

Standard Features







spacers shown here for suggested placement when top aligns with case end
 spacers shipped with unit
 2 pencil/box drawers, 18"
 1 lateral file, 36"
 locking drawers
 letter filing, front to back or side to side
 legal filing, side to side
 telescopic feet provide 1½" leveling adjustment

Specify Options

1. veneer*
2. finish*
3. paint color on drawer fronts


How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: CS-SWD4536-44-WC.WL.SN

54"H STORAGE TOWERS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	9"w Wardrobe Unit Standard Features must attach to end-run wall fixed shelf hanger bar telescopic feet provide 1½" leveling adjustment	CS-ST4509-54-WDL	9	27¼	53¼	2001	2141
		CS-ST4509-54-WDR	9	27¼	53¼	2001	2141
  <p>front view side view</p>	9"w Power Infeed Unit Standard Features must attach to end-run wall two fixed shelves side grommet opposite side of hinge locking hinged inner panel to access power infeed infeed port in bottom: 4" x 8" telescopic feet provide 1½" leveling adjustment	CS-PISE4509L-54	9	27¼	53¼	2091	2237
		CS-PISE4509R-54	9	27¼	53¼	2091	2237
   <p>left shown</p>	12"w Toolbox Tower Standard Features must attach to end-run wall two fixed shelves upper storage unit opens to the desk side aluminum spacers included bottom shelf aligns with worksurface pull-out toolbox work tools included: (1) 13" mini shelf - WKT45-S13 (2) pencil trays - WKT45-PT (1) CD holder - WKT45-CD (1) file holder - WKT45-LTF telescopic feet provide 1½" leveling adjustment	CS-STOC4512-54-TBL	12	27¼	53¼	2509	2685
		CS-STOC4512-54-TBR	12	27¼	53¼	2509	2685


How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: CS-SWD4536-44-WC.WL.SN

54"H MID-RUN TOWERS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	9"w Dual Mid-Run Wardrobe Unit Standard Features must attach to mid-run walls without support panels hanger bar telescopic feet provide 1½" leveling adjustment	CS-STMR4509L-54	9	45¼	53¼	3669	3926
		CS-STMR4509R-54	9	45¼	53¼	3669	3926






front view side view


- Specify Options**
1. veneer*
 2. finish*
 3. paint color on door front
 4. locking door, add \$222

	14"w Toolbox Tower Standard Features must attach to mid-run walls with support panels upper storage unit opens to the desk side two fixed shelves aluminum spacers included bottom shelf aligns with the worksurface pull-out toolbox work tools included: (1) 13" mini shelf - WKT45-S13 (2) pencil trays - WKT45-PT (1) CD holder - WKT45-CD (1) file holder - WKT45-LTF telescopic feet provide 1½" leveling adjustment	CS-TBMR4514L-54	14	26	53¼	2760	2953
		CS-TBMR4514R-54	14	26	53¼	2760	2953


left shown

- Specify Options**
1. veneer*
 2. finish*
 3. paint color on door front

44"H MID-RUN TOWERS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
 front view	9\"w Dual Mid-Run Wardrobe Unit	CS-STMR4509L-44	9	45¼	43¾	3136	3356
		CS-STMR4509R-44	9	45¼	43¾	3136	3356
 side view	Standard Features must attach to mid-run walls without support panels hanger bar telescopic feet provide 1½" leveling adjustment	Specify Options 1. veneer* 2. finish* 3. paint color on door front 4. locking door, add \$222					
 front view	14\"w Toolbox Tower	CS-TBMR4514L-44	14	26	43¾	2350	2515
		CS-TBMR4514R-44	14	26	43¾	2350	2515
 side view	Standard Features must attach to mid-run walls with support panels upper storage unit opens to the desk side aluminum spacers included bottom shelf aligns with worksurface pull-out toolbox work tools included: (1) 13" mini shelf - WKT45-S13 (2) pencil trays - WKT45-PT (1) CD holder - WKT45-CD (1) file holder - WKT45-LTF telescopic feet provide 1½" leveling adjustment	Specify Options 1. veneer* 2. finish* 3. paint color on door front					
 left shown							

ALIGNED DESK TOP	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	26/40" d Wedge Top Standard Features use with toolbox towers attaching hardware included	CS-RWT4566-26-ALL	66½	38¾	1¼	1617	1687
		CS-RWT4566-26-ALR	66½	38¾	1¼	1617	1687
		CS-RWT4560-26-ALL	60½	38¾	1¼	1552	1622
		CS-RWT4560-26-ALR	60½	38¾	1¼	1552	1622
		CS-RWT4554-26-ALL	54½	38¾	1¼	1495	1550
		CS-RWT4554-26-ALR	54½	38¾	1¼	1495	1550




left shown


	22/36" d Wedge Top Standard Features use with wardrobe units attaching hardware included	CS-RWT4566-22-ALL	66½	34¾	1¼	1567	1637
		CS-RWT4566-22-ALR	66½	34¾	1¼	1567	1637
		CS-RWT4560-22-ALL	60½	34¾	1¼	1502	1572
		CS-RWT4560-22-ALR	60½	34¾	1¼	1502	1572
		CS-RWT4554-22-ALL	54½	34¾	1¼	1445	1500
		CS-RWT4554-22-ALR	54½	34¾	1¼	1445	1500


left shown


How To Order:


Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: CS-SWD4536-44-WC.WL.SN

APPROACH DESK	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
 <p>left shown</p>	Desk with Pedestal Spacer Support Standard Features use in U-shape configurations 9" x 30" desk access pedestal 18" x 26" pencil/box/file pedestal letter/legal filing, side to side locking drawers telescopic feet provide 1½" leveling adjustment	CS-SRDSP4578-ALL	78	30	29	2940	3175
		CS-SRDSP4578-ALR	78	30	29	2940	3175
		CS-SRDSP4572-ALL	72	30	29	2540	2742
		CS-SRDSP4572-ALR	72	30	29	2540	2742
 <p>left shown</p>	Computer Corner Desk with Pedestal Spacer Support Standard Features use in U-shape configurations 9" x 30" desk access pedestal 18" x 26" pencil/box/file pedestal letter/legal filing, side to side locking drawers telescopic feet provide 1½" leveling adjustment	CS-SCCSP4578-ALL	78	36	29	3050	3285
		CS-SCCSP4578-ALR	78	36	29	3050	3285
		CS-SCCSP4572-ALL	72	36	29	2645	2847
		CS-SCCSP4572-ALR	72	36	29	2645	2847
 <p>left shown</p>	Arc End Wedge Desk with Leg Support Standard Features use in U-shape configurations 9" x 30" desk access pedestal supports provide 1½" leveling adjustment	CS-SWD4572-ALL	72	36	29	2455	2651
		CS-SWD4572-ALR	72	36	29	2455	2651
		CS-SWD4566-ALL	66	36	29	2375	2541
		CS-SWD4566-ALR	66	36	29	2375	2541

MID-RUN PANELS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	54" Mid-Run Privacy Panels	CS-STMR4584-54	84	1¼	42	1325	1523
		CS-STMR4578-54	78	1¼	42	1217	1399
		CS-STMR4572-54	72	1¼	42	1112	1280
		CS-STMR4566-54	66	1¼	42	1004	1155
		CS-STMR4560-54	60	1¼	42	897	1031
		CS-STMR4554-54	54	1¼	42	791	910
		Standard Features use with 54" h spine wall attaches to storage tower and mounts perpendicularly along spine wall run unhanded 1½" x 4½" notch at back of wall panel accepts overhang of spine wall top cap	Specify Options 1. veneer or paint*				

	44" Mid-Run Privacy Panels	CS-STMR4584-44	84	1¼	32¼	1182	1359
		CS-STMR4578-44	84	1¼	32¼	1107	1273
		CS-STMR4572-44	84	1¼	32¼	1012	1204
		CS-STMR4566-44	84	1¼	32¼	925	1063
		CS-STMR4560-44	84	1¼	32¼	837	963
		CS-STMR4554-44	84	1¼	32¼	662	761
		Standard Features use with 44" h spine wall attaches to storage tower and mounts perpendicularly along spine wall run unhanded 1½" x 4½" notch at back of wall panel accepts overhang of spine wall top cap	Specify Options 1. veneer or paint*				

MID-RUN PANELS WITH GLASS SCREENS	DESCRIPTION/NOTES	MODEL	W	D	H	M1	M2
	54" Mid-Run Privacy Panel with Glass Screen	CS-PWML4584-54S	84	1¼	42	2667	2873
		CS-PWML4578-54S	78	1¼	42	2470	2660
		CS-PWML4572-54S	72	1¼	42	2291	2466
		CS-PWML4566-54S	66	1¼	42	2137	2287
		CS-PWML4560-54S	60	1¼	42	1981	2121
		CS-PWML4554-54S	54	1¼	42	1814	1938
		Standard Features use with 54" h spine wall glass screen included attaches to storage tower and mounts perpendicularly along spine wall run unhanded	Specify Options 1. veneer or paint*				

	44" Mid-Run Privacy Panel with Glass Screen	CS-PWML4584-44S	84	1¼	32¼	2519	2703
		CS-PWML4578-44S	78	1¼	32¼	2356	2529
		CS-PWML4572-44S	72	1¼	32¼	2187	2387
		CS-PWML4566-44S	66	1¼	32¼	2054	2198
		CS-PWML4560-44S	60	1¼	32¼	1919	2050
		CS-PWML4554-44S	54	1¼	32¼	1680	1783
		Standard Features use with 44" h spine wall glass screen included attaches to storage tower and mounts perpendicularly along spine wall run unhanded	Specify Options 1. veneer or paint*				

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
Mid-Run Panels with Glass Screens