

RESTORE

Healthcare Solutions



January 1, 2010
Revised November 8, 2011

Introductory pricing subject to change

Jofco

Restore Healthcare Features

Guest + Bariatric Seating

Along with a standard seat width of 21" wide, Restore also offers bariatric seating with a generous 30" seat width.



21" Guest




30" Bariatric

Standard Features



Clean Out

All guest and bariatric seating feature a space at the back of the seat to allow dirt and debris to fall to the floor for easy clean-up and maintenance.



Field Replaceable Covers

Restore seating is standard with easily removeable seat and back components which simply velcro to the metal frame. This enables components to be effortlessly cleaned or replaced.



Steel Seat Frame

The black powder-coated seat frame is made from steel for increased durability. This hollow steel frame is lightweight and designed to make the clean out and field replaceable covers possible.



Wall Saver

The angle of the seat back and the rear legs are designed to keep the chair away from the wall to prevent wear and damage to both the chair and to the wall of the facility.



Moisture Barrier

The laminated seat cushion prevents liquids from penetrating the interior of the chair. This feature is standard on the Restore seat only.

Maharam Textiles

High Performance Textiles

Grade D

Lariat (V)

Grade E

Article (V)

Reverie (V)

Grade F

Candid (V)

Flicker (V)

Ledger (PU)

Quick (V)

Grade G

Abrash (SDN)

Chase (HPB)

Chime (V)

Kernel (C)

Scuba (PU)

Skate (C)

Trait (SDN)

Wafer (PU)

Grade H

Across (CG)

Akimbo (SDN)

Align (C)

Along (C)

Assemblage (C)

Beside (C)

Box (SDN)

Certain (CG)

Chance (C)

Comment (C)

Corner (C)

Crush (SDN)

Current (HPB)

Dart (C)

Decode (SDN)

Ditto (HED)

Double Check (SDN)

Floret (C)

Fluent Crypton (C)

Hinge (HPB)

Intertwine (C)

Panache (C)

Steady Crypton (CG)

Stroll (HPB)

Venn (HPB)

Verse (C)

Grade I

Chenille Cord (SDN)

Scout Crypton (C)

SDN - Solution Dyed Nylon, bleach cleanable

HED - High Energy Dyed Polyester with Nylon, bleach cleanable

HPB - High Performance Barrier

PU - Polyurethane, wipe-able, reduced environmental impact

C - Crypton

CG - Crypton Green

V - Vinyl

Other Maharam Textiles

Grade C

Medium

Messenger

Milestone

Grade D

Before

Bridge

Defer

Division

Focus

Steady

Twice

Grade E

Alter

Bound

Cinch

Coincide

Metric

Overlap

Transfer

Grade F

Fathom

Fluent

Gradient

Marquee

Stack

Vary

Grade G

Alloy

Amble

Arbor

Bitmap

Cover

Dash

Exchange

Imprint

Jumble

Magic by Kvadrat

Merge

Meridian

Plait

Setting

Sudden

Tally

Tier

Verdant

Whirl

Yanagi

Grade H

Balustrade

Bop

Cadence

Cartouche

Circuit

Contrary

Couple

Disperse

Etch

Hive

Meander

Minimal

Perception

Random

Recollection

Remix by Kvadrat

Rivet

Scout

Scribe

Tack

Tonica by Kvadrat

Tournesol

Transit

Tremor

Treat

Twine

Grade I

Anagram

Around

Centric

Chenille Multi

Cipher

Climb

Divina by Kvadrat

Divina Melange by Kvadrat

Envelop

Fasten

Fiddle

Flora by Kvadrat

Hallingdal by Kvadrat

Median

Offset

Orissa

Pictogram

Reel

Steelcut by Kvadrat

Steelcut Trio by Kvadrat

Tonus by Kvadrat

Topas by Kvadrat

Topple

Tundra by Kvadrat

Turn

Weimar

Zag

Grade J

Mechanism

Peep

Radiant

Grade K

Aria

Blumen

Broad Cord

Chenille Stripe

Coach Cloth

Cotton Velvet

Crosspatch

Dandy

Dingbats

Dot Pattern

Fluted Silk

Highfield by Kvadrat

Interferens by Kvadrat

Jacobs Coat

Loop by Kvadrat

Mikado


Maharam Textiles Continued


Grade K (cont.)

Pavement
Plural
Quatrefoil
Salon
Sea Things
Silk Canvas
Small Dot Pattern
Snap
Star by Kvadrat
Voyage

Grade L



Alpine Stripe
Bespoke Stripe
Checker
Checker Split
Circles
Cobblestone
Design 9297
Double Triangles
Exaggerated Plaid
Facets
Folklore
Geometri
Herringbone Stripe
Intricate
Jacobs Coat
Letters
Melange Tweed
Millerstripe
Names
Oda by Kvadrat
Optik
Orakelblume
Painted Stripe
Parched Silk
Periphery
Pinpoint Epingle
Ply Chenille Gride White/Black
Ply Mesh Black/Tan
Precisely
Repeat Classic Houndstooth
Repeat Classic Stripe
Repeat Dot Pixel
Repeat Dot Ring
Stripes by Paul Smith
The Story of My Life
Toostripe
Unisol





RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Guest Chair Standard Features closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 18¾ arm height: 26 com ydg: 3¼ col sq ft: 59 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG25CA-1S Specify Options 1. finish* 2. textile or leather*	24¾	25¾	34	64	COM 1348 A 1348 B 1389 C 1429 D 1470 E 1510 F 1551 G 1632 H 1714 I 1835 J 1876 K 2063 L 2225 COL 1534 LE1 1534 LE2 1770 LE3 1881 LE4 2272
	Bariatric Chair Standard Features closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 30 seat height: 19½ seat depth: 18¾ arm height: 26 com ydg: 4½ col sq ft: 81 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG25CA-1B Specify Options 1. finish* 2. textile or leather*	33¾	25¾	34	74	COM 1477 A 1477 B 1533 C 1589 D 1646 E 1702 F 1758 G 1871 H 1983 I 2152 J 2208 K 2467 L 2692 COL 1732 LE1 1732 LE2 2056 LE3 2208 LE4 2745

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>High Back Patient Chair</p> <p>Standard Features closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 21 seat height: 19½ seat depth: 18½ arm height: 26 com ydg: 4 col sq ft: 72 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UHP25CA-STA</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	24½	26	45½	67	<p>COM 1439 A 1439 B 1489 C 1539 D 1589 E 1639 F 1689 G 1789 H 1889 I 2039 J 2089 K 2319 L 2519 COL 1666 LE1 1666 LE2 1954 LE3 2089 LE4 2566</p>
	<p>High Back Patient Rocker</p> <p>Standard Features closed arms fully upholstered with wood arm caps wood frame exterior black steel rocker mechanism moisture barrier on seat only field replaceable covers and components seat width: 21 seat height: 18 seat depth: 18½ arm height: 24½ com ydg: 4 col sq ft: 72 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UHP25CA-RKR</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	24½	26	44½	67	

How To Order:



Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray


RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Guest Chair Standard Features open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 18¾ arm height: 26 com ydg: 2½ col sq ft: 45 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-1S Specify Options 1. finish* 2. textile or leather*	24¾	25¾	34		COM 1368 A 1368 B 1399 C 1430 D 1462 E 1493 F 1524 G 1587 H 1649 I 1743 J 1774 K 1918 L 2043 COL 1510 LE1 1510 LE2 1690 LE3 1774 LE4 2072
	Bariatric Chair Standard Features open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 30 seat height: 19½ seat depth: 18¾ arm height: 26 com ydg: 3¾ col sq ft: 68 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-1B Specify Options 1. finish* 2. textile or leather*	33¾	25¾	34		COM 1497 A 1497 B 1544 C 1590 D 1637 E 1684 F 1731 G 1825 H 1919 I 2059 J 2106 K 2322 L 2509 COL 1712 LE1 1712 LE2 1984 LE3 2111 LE4 2562
	Guest Chair Standard Features armless upholstered seat and back wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 21 seat height: 19½ seat depth: 18¾ com ydg: 2½ col sq ft: 45 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG25NA-1S Specify Options 1. finish* 2. textile or leather*	24½	25¾	34		COM 1101 A 1101 B 1132 C 1163 D 1195 E 1226 F 1257 G 1320 H 1382 I 1476 J 1507 K 1651 L 1776 COL 1243 LE1 1243 LE2 1423 LE3 1507 LE4 1805

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
 	<p>Tandem with Table on Left</p> <p>Standard Features guest seat with table on left table on left when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾" seat height: 19½" seat depth: 18¾" arm height: 26" table height: 16⅞" com ydg: 3¼" col sq ft: 59 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼" 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG25CA-2LTS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25¾	34		<p>COM 1995 A 1995 B 2036 C 2076 D 2117 E 2157 F 2198 G 2279 H 2361 I 2482 J 2523 K 2710 L 2872 COL 2181 LE1 2181 LE2 2417 LE3 2528 LE4 2919</p>
	 	<p>Tandem with Table on Right</p> <p>Standard Features guest seat with table on right table on right when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾" seat height: 19½" seat depth: 18¾" arm height: 26" table height: 16⅞" com ydg: 3¼" col sq ft: 59 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼" 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG25CA-2SRT</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25¾	34	

How To Order:




Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray




RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Tandem with Table on Left</p> <p>Standard Features guest seat with table on left table on left when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 18¾ arm height: 26 table height: 16¼ com ydg: 2½ col sq ft: 45 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG250A-2LTS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25¾	34		<p>COM 2015 A 2015 B 2046 C 2077 D 2109 E 2140 F 2171 G 2234 H 2296 I 2390 J 2421 K 2565 L 2690 COL 2157 LE1 2157 LE2 2337 LE3 2421 LE4 2719</p>
		<p>Tandem with Table on Right</p> <p>Standard Features guest seat with table on right table on right when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 18¾ arm height: 26 table height: 16¼ com ydg: 2½ col sq ft: 45 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG250A-2SRT</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25¾	34	

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Two-Seat Tandem</p> <p>Standard Features guest/guest closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 6½ col sq ft: 117 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG25CA-2SS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25⅞	34		<p>COM 2281 A 2281 B 2362 C 2443 D 2525 E 2606 F 2687 G 2850 H 3012 I 3256 J 3337 K 3711 L 4036 COL 2650 LE1 2650 LE2 3118 LE3 3337 LE4 4112</p>
	<p>Three-Seat Tandem</p> <p>Standard Features guest/guest/guest closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 9 col sq ft: 162 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG25CA-3SSS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	70	25⅞	34		<p>COM 3202 A 3202 B 3314 C 3427 D 3539 E 3652 F 3764 G 3989 H 4214 I 4552 J 4664 K 5182 L 5632 COL 3712 LE1 3712 LE2 4360 LE3 4664 LE4 5737</p>

How To Order:







Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray




RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
  	<p>Two-Seat Tandem</p> <p>Standard Features guest/guest open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 5 col sq ft: 90 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG250A-2SS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	47¼	25⅞	34		<p>COM 2304 A 2304 B 2366 C 2429 D 2491 E 2554 F 2616 G 2741 H 2866 I 3054 J 3116 K 3404 L 3654 COL 2587 LE1 2587 LE2 2947 LE3 3116 LE4 3712</p>
	<p>Three-Seat Tandem</p> <p>Standard Features guest/guest/guest open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 7½ col sq ft: 135 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGG250A-3SSS</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	70	25⅞	34		<p>COM 3240 A 3240 B 3334 C 3428 D 3522 E 3615 F 3709 G 3897 H 4084 I 4365 J 4459 K 4890 L 5265 COL 3666 LE1 3666 LE2 4206 LE3 4459 LE4 5353</p>

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Three-Seat Tandem with Bariatric on Left</p> <p>Standard Features bariatric/guest/guest bariatric on left when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 10¼ col sq ft: 185 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	UGG25CA-3B55	79	25¾	34		COM 3330 A 3330 B 3459 C 3587 D 3715 E 3843 F 3971 G 4227 H 4484 I 4868 J 4996 K 5585 L 6098 COL 3914 LE1 3914 LE2 4654 LE3 5001 LE4 6227
	<p>Specify Options 1. finish* 2. textile or leather*</p>						
	<p>Three-Seat Tandem with Bariatric in Center</p> <p>Standard Features guest/ bariatric/guest closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 10¼ col sq ft: 185 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	UGG25CA-3SBS	79	25¾	34		COM 3330 A 3330 B 3459 C 3587 D 3715 E 3843 F 3971 G 4227 H 4484 I 4868 J 4996 K 5585 L 6098 COL 3914 LE1 3914 LE2 4654 LE3 5001 LE4 6227
	<p>Specify Options 1. finish* 2. textile or leather*</p>						
	<p>Three-Seat Tandem with Bariatric on Right</p> <p>Standard Features guest/guest/bariatric bariatric on right when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 10¼ col sq ft: 185 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	UGG25CA-3SSB	79	25¾	34		COM 3330 A 3330 B 3459 C 3587 D 3715 E 3843 F 3971 G 4227 H 4484 I 4868 J 4996 K 5585 L 6098 COL 3914 LE1 3914 LE2 4654 LE3 5001 LE4 6227
	<p>Specify Options 1. finish* 2. textile or leather*</p>						

How To Order:



Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray



RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Three-Seat Tandem with Bariatric on Left Standard Features bariatric/guest/guest bariatric on left when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 8¾ col sq ft: 158 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3B5S Specify Options 1. finish* 2. textile or leather*	79	25¾	34		COM 3369 A 3369 B 3479 C 3588 D 3697 E 3807 F 3916 G 4135 H 4354 I 4682 J 4791 K 5294 L 5732 COL 3868 LE1 3868 LE2 4500 LE3 4796 LE4 5843
							
	Three-Seat Tandem with Bariatric in Center Standard Features guest/ bariatric/guest open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 8¾ col sq ft: 158 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3S5S Specify Options 1. finish* 2. textile or leather*	79	25¾	34		COM 3369 A 3369 B 3479 C 3588 D 3697 E 3807 F 3916 G 4135 H 4354 I 4682 J 4791 K 5294 L 5732 COL 3868 LE1 3868 LE2 4500 LE3 4796 LE4 5843
							
	Three-Seat Tandem with Bariatric on Right Standard Features guest/guest/bariatric bariatric on right when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components guest seat width: 20¾ bariatric seat width: 30 seat height: 19½ seat depth: 25⅞ arm height: 26 com ydg: 8¾ col sq ft: 158 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3S5B Specify Options 1. finish* 2. textile or leather*	79	25¾	34		COM 3369 A 3369 B 3479 C 3588 D 3697 E 3807 F 3916 G 4135 H 4354 I 4682 J 4791 K 5294 L 5732 COL 3868 LE1 3868 LE2 4500 LE3 4796 LE4 5843
							

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Two-Seat Tandem with Table on Left	UGG25CA-3LTSS	70	25½	34		COM 2928
	<p>Standard Features</p> <p>two guest seats with table on left table on left when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25¾ arm height: 26 table height: 16¼ com ydg: 6½ col sq ft: 117 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>Specify Options</p> <p>1. finish* 2. textile or leather*</p>					A 2928 B 3009 C 3090 D 3172 E 3253 F 3334 G 3497 H 3659 I 3903 J 3984 K 4358 L 4683 COL 3297 LE1 3297 LE2 3765 LE3 3984 LE4 4759
	Two-Seat Tandem with Table in Center	UGG25CA-3SMTS	70	25½	34		COM 3206
	<p>Standard Features</p> <p>two guest seats with table in center closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25¾ arm height: 26 table height: 16¼ com ydg: 6½ col sq ft: 117 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>Specify Options</p> <p>1. finish* 2. textile or leather*</p>					A 3206 B 3287 C 3368 D 3450 E 3531 F 3612 G 3775 H 3937 I 4181 J 4262 K 4636 L 4961 COL 3575 LE1 3575 LE2 4043 LE3 4262 LE4 5037
	Two-Seat Tandem with Table on Right	UGG25CA-3SSRT	70	25½	34		COM 2928
	<p>Standard Features</p> <p>two guest seats with table on right table on right when facing closed arms fully upholstered with wood arm caps wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25¾ arm height: 26 table height: 16¼ com ydg: 6½ col sq ft: 117 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>Specify Options</p> <p>1. finish* 2. textile or leather*</p>					A 2928 B 3009 C 3090 D 3172 E 3253 F 3334 G 3497 H 3659 I 3903 J 3984 K 4358 L 4683 COL 3297 LE1 3297 LE2 3765 LE3 3984 LE4 4759

How To Order:







Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Two-Seat Tandem with Table on Left Standard Features two guest seats with table on left table on left when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 table height: 16⅙ com ydg: 5 col sq ft: 90 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3LTSS Specify Options 1. finish* 2. textile or leather*	70	25¾	34		COM 2951 A 2951 B 3013 C 3076 D 3138 E 3201 F 3263 G 3388 H 3513 I 3701 J 3763 K 4051 L 4301 COL 3234 LE1 3234 LE2 3594 LE3 3763 LE4 4359
	Two-Seat Tandem with Table in Center Standard Features two guest seats with table in center open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 table height: 16⅙ com ydg: 5 col sq ft: 90 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3SMTS Specify Options 1. finish* 2. textile or leather*	70	25¾	34		COM 3245 A 3245 B 3307 C 3370 D 3432 E 3495 F 3557 G 3682 H 3807 I 3995 J 4057 K 4345 L 4595 COL 3528 LE1 3528 LE2 3888 LE3 4057 LE4 4653
	Two-Seat Tandem with Table on Right Standard Features two guest seats with table on right table on right when facing open arms upholstered seat and back exposed wood frame exterior black steel seat frame moisture barrier on seat only field replaceable covers and components straight grain maple table top seat width: 20¾ seat height: 19½ seat depth: 25⅞ arm height: 26 table height: 16⅙ com ydg: 5 col sq ft: 90 exposed solid hardwood frame is mortise and tenon construction; metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGG250A-3SSRT Specify Options 1. finish* 2. textile or leather*	70	25¾	34		COM 2951 A 2951 B 3013 C 3076 D 3138 E 3201 F 3263 G 3388 H 3513 I 3701 J 3763 K 4051 L 4301 COL 3234 LE1 3234 LE2 3594 LE3 3763 LE4 4359

PARTS	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Left End with Closed Arm Standard Features arm height: 26 com ydg: ¾ col sq ft: 14	UGM25-LCA	1¾	25¾	26		COM 436 A 436 B 446 C 455 D 464 E 474 F 483 G 502 H 521 I 549 J 558 K 601 L 639 COL 481 LE1 481 LE2 537 LE3 563 LE4 656
	Middle End with Closed Arm Standard Features arm height: 26 com ydg: ¾ col sq ft: 14	UGM25-MCA	1¾	25¾	26		COM 436 A 436 B 446 C 455 D 464 E 474 F 483 G 502 H 521 I 549 J 558 K 601 L 639 COL 481 LE1 481 LE2 537 LE3 563 LE4 656
	Right End with Closed Arm Standard Features arm height: 26 com ydg: ¾ col sq ft: 14	UGM25-RCA	1¾	25¾	26		COM 436 A 436 B 446 C 455 D 464 E 474 F 483 G 502 H 521 I 549 J 558 K 601 L 639 COL 481 LE1 481 LE2 537 LE3 563 LE4 656


How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

PARTS	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Left End with Open Arm Standard Features arm height: 26	UGM25-LOA Specify Options 1. finish*	1¾	25¾	26		PRICE 440
							
	Middle End with Open Arm Standard Features arm height: 26	UGM25-MOA Specify Options 1. finish*	1¾	25¾	26		PRICE 440
							
	Right End with Open Arm Standard Features arm height: 26	UGM25-ROA Specify Options 1. finish*	1¾	25¾	26		PRICE 440
							





How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.Maharam.MilestoneMediumGray

PARTS	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Guest Back and Seat Standard Features seath width: 20¾ seat height: 19½ seat depth: 18¾ back width: 20¾ com ydg: 2½ col sq ft: 45 metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGM25-STD/BS Specify Options 1. textile or leather*					COM 524 A 524 B 555 C 586 D 618 E 649 F 680 G 743 H 805 I 899 J 930 K 1074 L 1199 COL 666 LE1 666 LE2 846 LE3 930 LE4 1228
	Bariatric Back and Seat Standard Features seath width: 30 seat height: 19½ seat depth: 18¾ back width: 30 com ydg: 3¾ col sq ft: 68 metal seat frame is 1¼ " 11 gauge steel tube; seat foundation is plywood with interlaced frame; seat interior is dual density foam with laminated moisture barrier; back support is webbing with mesh overlay; back interior is high density foam	UGM25-BAR/BS Specify Options 1. textile or leather*					COM 655 A 655 B 702 C 748 D 795 E 842 F 889 G 983 H 1077 I 1217 J 1264 K 1480 L 1667 COL 870 LE1 870 LE2 1142 LE3 1269 LE4 1720



How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

PARTS	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>In-Line Table</p> <p>Standard Features for use between chairs straight grain maple table top installed height: 16½"</p>	UGM25-IT	21	20½"	3¼"		PRICE 529
	<p>Left End Table</p> <p>Standard Features table on left when facing straight grain maple table top frame is mortise and tenon</p>	UGM25-LT	22¼"	20½"	16½"		PRICE 664
	<p>Right End Table</p> <p>Standard Features table on right when facing straight grain maple table top frame is mortise and tenon</p>	UGM25-RT	22¼"	20½"	16½"		PRICE 664
	<p>90° Corner Table</p> <p>Standard Features makes a 90 degree turn straight grain maple table top leg positioned in corner of table installed height: 16½"</p>	UGM25-90CT	27½"	27½"	16½"		PRICE 757


How To Order:




Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: UGA2640.Merlot.Alloy.Maharam.MilestoneMediumGray

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm grip wood frame exterior seat width: 23½ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 5½ col sq ft: 99 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULC2560</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	27½	28½	31½		<p>COM 2023</p> <p>A 2023</p> <p>B 2092</p> <p>C 2161</p> <p>D 2230</p> <p>E 2298</p> <p>F 2367</p> <p>G 2505</p> <p>H 2642</p> <p>I 2848</p> <p>J 2917</p> <p>K 3233</p> <p>L 3508</p> <p>COL 2335</p> <p>LE1 2335</p> <p>LE2 2731</p> <p>LE3 2917</p> <p>LE4 3573</p>
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm grip wood frame exterior seat width: 45⅞ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 6 col sq ft: 108 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULL2570</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	50	28½	31½		<p>COM 2442</p> <p>A 2442</p> <p>B 2517</p> <p>C 2592</p> <p>D 2667</p> <p>E 2742</p> <p>F 2817</p> <p>G 2967</p> <p>H 3117</p> <p>I 3342</p> <p>J 3417</p> <p>K 3762</p> <p>L 4062</p> <p>COL 2783</p> <p>LE1 2783</p> <p>LE2 3215</p> <p>LE3 3417</p> <p>LE4 4133</p>
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm grip wood frame exterior seat width: 68¼ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 7 col sq ft: 126 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULS2580</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	72¼	28½	31½		<p>COM 2858</p> <p>A 2858</p> <p>B 2945</p> <p>C 3033</p> <p>D 3120</p> <p>E 3208</p> <p>F 3295</p> <p>G 3470</p> <p>H 3645</p> <p>I 3908</p> <p>J 3995</p> <p>K 4398</p> <p>L 4748</p> <p>COL 3255</p> <p>LE1 3255</p> <p>LE2 3759</p> <p>LE3 3995</p> <p>LE4 4830</p>

How To Order:





Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray



RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm caps wood frame exterior seat width: 23½ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 5½ col sq ft: 99 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULC2566</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	27½	28½	31½		<p>COM 2021</p> <p>A 2021</p> <p>B 2090</p> <p>C 2159</p> <p>D 2228</p> <p>E 2296</p> <p>F 2365</p> <p>G 2503</p> <p>H 2640</p> <p>I 2846</p> <p>J 2915</p> <p>K 3231</p> <p>L 3506</p> <p>COL 2333</p> <p>LE1 2333</p> <p>LE2 2729</p> <p>LE3 2915</p> <p>LE4 3571</p>
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm caps wood frame exterior seat width: 45⅞ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 6 col sq ft: 108 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULL2576</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	50	28½	31½		<p>COM 2440</p> <p>A 2440</p> <p>B 2515</p> <p>C 2590</p> <p>D 2665</p> <p>E 2740</p> <p>F 2815</p> <p>G 2965</p> <p>H 3115</p> <p>I 3340</p> <p>J 3415</p> <p>K 3760</p> <p>L 4060</p> <p>COL 2781</p> <p>LE1 2781</p> <p>LE2 3213</p> <p>LE3 3415</p> <p>LE4 4131</p>
	<p>Lounge Seating</p> <p>Standard Features fully upholstered with wood arm caps wood frame exterior seat width: 68¼ seat height: 19⅞ seat depth: 20 arm height: 26 com ydg: 7 col sq ft: 126 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with sinuous springs; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>ULS2586</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	72¼	28½	31½		<p>COM 2856</p> <p>A 2856</p> <p>B 2943</p> <p>C 3031</p> <p>D 3118</p> <p>E 3206</p> <p>F 3293</p> <p>G 3468</p> <p>H 3643</p> <p>I 3906</p> <p>J 3993</p> <p>K 4396</p> <p>L 4746</p> <p>COL 3253</p> <p>LE1 3253</p> <p>LE2 3757</p> <p>LE3 3993</p> <p>LE4 4828</p>

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	Bench	UBS2524	24½	22	18		COM 1166
	<p>Standard Features upholstered seat wood frame exterior moisture barrier on seat seat width: 21 com ydg: 1¼ col sq ft: 23 exposed solid hardwood frame is mortise and tenon construction; metal seat is 1¼" 14 gauge steel tube; seat frame is plywood with interlaced frame; seat interior is dual density foam</p>	<p>Specify Options 1. finish* 2. textile or leather*</p>					A 1166 B 1182 C 1197 D 1213 E 1228 F 1244 G 1275 H 1307 I 1353 J 1369 K 1441 L 1503 COL 1239 LE1 1239 LE2 1331 LE3 1374 LE4 1526
	Bench	UBD2546	45½	22	18		COM 1306
	<p>Standard Features upholstered seat wood frame exterior moisture barrier on seat seat width: 42 com ydg: 2½ col sq ft: 45 exposed solid hardwood frame is mortise and tenon construction; metal seat is 1¼" 14 gauge steel tube; seat frame is plywood with interlaced frame; seat interior is dual density foam</p>	<p>Specify Options 1. finish* 2. textile or leather*</p>					A 1306 B 1337 C 1368 D 1400 E 1431 F 1462 G 1525 H 1587 I 1681 J 1712 K 1856 L 1981 COL 1448 LE1 1448 LE2 1628 LE3 1712 LE4 2010
	Bench	UBT2567	66½	22	18		COM 1493
	<p>Standard Features upholstered seat wood frame exterior moisture barrier on seat seat width: 63 com ydg: 3 col sq ft: 54 exposed solid hardwood frame is mortise and tenon construction; metal seat is 1¼" 14 gauge steel tube; seat frame is plywood with interlaced frame; seat interior is dual density foam</p>	<p>Specify Options 1. finish* 2. textile or leather*</p>					A 1493 B 1530 C 1568 D 1605 E 1643 F 1680 G 1755 H 1830 I 1943 J 1980 K 2153 L 2303 COL 1663 LE1 1663 LE2 1879 LE3 1980 LE4 2338

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray


RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Recliner</p> <p>Standard Features seat width: 23½ seat height: 20¼ seat depth: 21¼ arm height: 27 com ydg: 7 col sq ft: 126 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	UPR2590S-STA	27¼	36	47		COM 2568 A 2568 B 2655 C 2743 D 2830 E 2918 F 3005 G 3180 H 3355 I 3618 J 3705 K 4108 L 4458 COL 2965 LE1 2965 LE2 3469 LE3 3705 LE4 4540
	<p>Specify Options 1. finish* 2. textile or leather*</p>						
	<p>Bariatric Recliner</p> <p>Standard Features seat width: 27¼ seat height: 20½ seat depth: 22 arm height: 27 com ydg: 7½ col sq ft: 135 exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	UPR2590B-STA	31¼	36	47¼		COM 2641 A 2641 B 2735 C 2829 D 2923 E 3016 F 3110 G 3298 H 3485 I 3766 J 3860 K 4291 L 4666 COL 3067 LE1 3067 LE2 3607 LE3 3860 LE4 4754
	<p>Specify Options 1. finish* 2. textile or leather*</p>						
	<p>Trendelenburg Recliner</p> <p>Standard Features seat width: 23 seat height: 20¾ seat depth: 22 arm height: 27½ com ydg: 7 col sq ft: 126 locking casters push bar exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	UTR2591S-MBL	27	36¼	46¼		COM 3111 A 3111 B 3198 C 3286 D 3373 E 3461 F 3548 G 3723 H 3898 I 4161 J 4248 K 4651 L 5001 COL 3508 LE1 3508 LE2 4012 LE3 4248 LE4 5083
	<p>Specify Options 1. finish* 2. textile or leather*</p>						
	<p>Bariatric Trendelenburg Recliner</p> <p>Standard Features seat width: seat height: seat depth: arm height: com ydg: 7½ col sq ft: 135 locking casters push bar exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	UTR2591B-MBL	31¼	36¼	46¼		COM 3166 A 3166 B 3260 C 3354 D 3448 E 3541 F 3635 G 3823 H 4010 I 4291 J 4385 K 4816 L 5191 COL 3592 LE1 3592 LE2 4132 LE3 4385 LE4 5279
	<p>Specify Options 1. finish* 2. textile or leather*</p>						

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	WT	LIST PRICE PER GRADE
	<p>Glider</p> <p>Standard Features seat width: 23¼ seat height: 19½ seat depth: 19½ arm height: 25½ com ydg: 6½ col sq ft: 117 metal glider mechanism with rubber bumpers seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGC2565</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	27¼	27½	31½		<p>COM 2312 A 2312 B 2393 C 2474 D 2556 E 2637 F 2718 G 2881 H 3043 I 3287 J 3368 K 3742 L 4067 COL 2681 LE1 2681 LE2 3149 LE3 3368 LE4 4143</p>
	<p>Two Seat Glider</p> <p>Standard Features seat width: 45¼ seat height: 19½ seat depth: 19½ arm height: 25½ com ydg: 8½ col sq ft: 153 dual metal glider mechanisms with rubber bumpers seat foundation is plywood with interlaced frame; seat interior is dual density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>UGL2575</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	49¼	27½	31½		<p>COM 2824 A 2824 B 2930 C 3036 D 3143 E 3249 F 3355 G 3568 H 3780 I 4099 J 4205 K 4694 L 5119 COL 3306 LE1 3306 LE2 3918 LE3 4205 LE4 5219</p>
	<p>Sleeper Sofa</p> <p>Standard Features seat width: 76 seat height: 19½ seat depth: 20⅞ arm height: 25 com ydg: 14 col sq ft: 252 sleep surface: 30 x 76 white powder coated storage compartment lid stay safety hinges exposed solid hardwood frame is mortise and tenon construction; seat foundation is plywood; seat interior is high density foam; back support is webbing with mesh overlay; back interior is high density foam</p>	<p>USS2580</p> <p>Specify Options 1. finish* 2. textile or leather*</p>	79½	31½	35		<p>COM 3730 A 3730 B 3905 C 4080 D 4255 E 4430 F 4605 G 4955 H 5305 I 5830 J 6005 K 6810 L 7510 COL 4525 LE1 4525 LE2 5533 LE3 6005 LE4 7675</p>

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: UGA2640.Merlot.Alloy.MilestoneMediumGray

RESTORE	DESCRIPTION/NOTES	MODEL	W	D	H	SGM	LAM
---------	-------------------	-------	---	---	---	-----	-----



Coffee Table

OCFT2548-17

48 24 16 1/2

1744

1744



Standard Features
top is 1 3/8" thick
frame is hardwood maple

Specify Options
1. finish*
2. top insert*



End Table

OST2524-24

24 24 23 1/2

1550

1550



Standard Features
top is 1 3/8" thick
frame is hardwood maple

Specify Options
1. finish*
2. top insert*

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
EX: OCFT2548-17.Espresso.SGM or Straight Grain Maple.