








CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
 GP8NCY1-0030  GP8NCYJ-0030	30" Cylinder Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 top opening: 17 7/8" cut-out in bottom: 9 1/2 dia. GP8NCY1-0030 access door: 8" x 10", 6" from floor	GP8NCY1-0030 GP8NCYJ-0030	30 30	30 30	27% 27%	50 50	1273 1636
	Specify Options 1. walnut, cherry or maple veneer* 2. finish*						
 GP8NCY1-0024  GP8NCYJ-0024	24" Cylinder Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 top opening: 14" cut-out in bottom: 9 1/2 dia. GP8NCY1-0024 access door: 8" x 10", 6" from floor	GP8NCY1-0024 GP8NCYJ-0024	24 24	24 24	27% 27%	45 45	1164 1528
	Specify Options 1. walnut, cherry or maple veneer* 2. finish*						
 GP8NCY1-0020  GP8NCYJ-0020	20" Cylinder Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 top opening: 12 1/8" cut-out in bottom: 9 1/2 dia. GP8NCY1-0020 access door: 8" x 10", 6" from floor	GP8NCY1-0020 GP8NCYJ-0020	20 20	20 20	27% 27%	40 40	1037 1401
	Specify Options 1. walnut, cherry or maple veneer* 2. finish*						
 GP8NCY1-0018	18" Cylinder Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 top opening: 9 1/2 dia. cut-out in bottom: 9 1/2 dia.	GP8NCY1-0018	18	18	27%	40	1114
	Specify Options 1. walnut, cherry or maple veneer* 2. finish*						
 GP8NDC1-1224  GP8NDCJ-1224	24" Diameter Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 top opening: 17" x 6" GP8NDCJ-1224 access door: 8" x 10", 6" from floor	GP8NDC1-1224 GP8NDCJ-1224	24 24	12 12	27% 27%	50 50	1233 1481
	Specify Options 1. walnut, cherry or maple veneer* 2. finish*						






How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: GP8NSQ1-3030.Walnut.Sienna.Wellington.Molding.

CONFERENCE BASES		DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
 GP8NSQ1-3030	 GP8NSQJ-3030	30" Square Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 GP8NSQJ-3030 access door: 12 1/8" x 10 1/8", 6" from floor	GP8NSQ1-3030	30	30	27 3/4"	40	1247
			GP8NSQJ-3030	30	30	27 3/4"	40	1607
			Specify Options 1. walnut, cherry or maple veneer* 2. finish* 3. wellington, westminster, or cambridge molding, 4 sides, add \$305 4. windsor or with base molding, 4 sides, add \$294					
 GP8NSQ1-2424	 GP8NCYJ-2424	24" Square Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109 counterweight matrix on pg. 109 GP8NSQJ-2424 access door: 12 1/8" x 10 1/8", 6" from floor	GP8NSQ1-2424	24	24	27 3/4"	40	1142
			GP8NSQJ-2424	24	24	27 3/4"	40	1499
			Specify Options 1. walnut, cherry or maple veneer* 2. finish* 3. wellington, westminster, or cambridge molding, 4 sides, add \$305 4. windsor or with base molding, 4 sides, add \$294					
		29" X Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1 1/4" thick adjustable glides top/base matrix on pgs. 108-109	GP8NCR2-2929	29	29	27 3/4"	60	1576
			Specify Options 1. walnut, cherry or maple veneer* 2. finish*					
		25" X Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1 1/4" thick adjustable glides top/base matrix on pgs. 108-109	GP8NCR2-2525	25	25	27 3/4"	60	1576
			Specify Options 1. walnut, cherry or maple veneer* 2. finish*					
		29" Traditional X Base Standard Features hardwood solids and veneers panels are 1 1/2" thick base molding is 4 3/4" top/base matrix on pgs. 108-109 adjustable glides	GP8NCR4-2929	29	29	27 3/4"	63	1829
			Specify Options 1. walnut or cherry veneer* 2. finish*					





How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: GP8NSQ1-3030.Walnut.Sienna.Wellington.Molding.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
	25" Traditional X Base	GP8NCR4-2525	25	25	27 1/4	57	1829
	<p>Standard Features hardwood solids and veneers panels are 1 1/2" thick base molding is 4 3/4" top/base matrix on pgs. 108-109 adjustable glides</p>	<p>Specify Options 1. walnut or cherry veneer* 2. finish*</p>					
	Classic Base with Ellipse Posts	GP8NPL2-0022	22	22	27 1/4	50	2361
	<p>Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109</p>	<p>Specify Options 1. cherry or maple veneer* 2. finish*</p>					
	Classic Base with Rectangular Posts	GP8NPL4-0022	22	22	27 1/4	50	2097
	<p>Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides top/base matrix on pgs. 108-109</p>	<p>Specify Options 1. cherry or maple veneer* 2. finish*</p>					
	Traditional Pedestal Base	GP8NFG4-0031			27 1/4	21	801
	<p>Standard Features hardwood solids and veneers 30 1/2" leg span top/base matrix on pgs. 108-109 adjustable glides</p>	<p>Specify Options 1. standard finish for walnut veneer*</p>					
	Traditional Pedestal Base	GP8NTR4-0038			27 1/4	29	1948
	<p>Standard Features hardwood solids and veneers 37 1/2" leg span top/base matrix on pgs. 108-109 adjustable glides</p>	<p>Specify Options 1. standard finish for walnut wood veneer*</p>					





How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: GP8NSQ1-3030.Walnut.Sienna.Wellington.Molding.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WT	PRICE
	6" Diameter Veneer Post	GP8NPT1-0006	6	6	27%	18	360
	<p>Standard Features hardwood solids and veneers 6" diameter flat cut, book-matched vertical veneers top/base matrix on pgs. 108-109 adjustable glides</p>	<p>Specify Options 1. walnut, cherry or maple veneer* 2. finish*</p>					
	Contemporary Base-End Unit with Recess Plinth	GP8NRCL-1230 GP8NRCL-1224	30 24	12 12	27% 27%	23 23	1024 949
	<p>Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers recess plinth adjustable glides</p>	<p>Specify Options 1. walnut, cherry or maple veneer* 2. finish*</p>					
	Contemporary Base-Mid Unit	GP8NRCL-1230 GP8NRCL-1224	30 24	12 12	27% 27%	23 23	1083 1003
	<p>Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers cut-out for wire pass-through recess plinth adjustable glides</p>	<p>Specify Options 1. walnut, cherry or maple veneer* 2. finish*</p>					
	Contemporary Base-End Unit	GP8NRCK-1230 GP8NRCK-1224	30 24	12 12	27% 27%	23 23	1322 1224
	<p>Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers plinth base open wire access top of panel adjustable glides access door opening: 12 1/8" x 11 1/8"</p>	<p>Specify Options 1. walnut, cherry or maple veneer* 2. finish*</p>					




How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.
 EX: GP8NSQ1-3030.Walnut.Sienna.Wellington.Molding.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
	144" Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1¼" thick horizontal rail is 4¼"h GP8NPC1-42113 panel is 42"w GP8NPC1-30113 panel is 30"w top/base matrix on pgs. 109-110 adjustable glides	GP8NPC1-42113	112½	42	27¾	2714
		GP8NPC1-30113	112½	30	27¾	2515
	120" Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1¼" thick horizontal rail is 4¼"h panel is 30"w top/base matrix on pgs. 109-110 adjustable glides	GP8NPC1-3088	88¾	30	27¾	2338
	96" Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1¼" thick horizontal rail is 4¼"h panel is 30"w top/base matrix on pgs. 109-110 adjustable glides	GP8NPC1-3070	70¾	30	27¾	2007
	72" Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 1¼" thick horizontal rail is 4¼"h panel is 24"w top/base matrix on pgs. 109-110 adjustable glides	GP8NPC1-2446	46¾	24	27¾	1646





How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WOM	WNM	WLM	WSM
	Traditional Rectangular Base-End Unit Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers adjustable glides	GP8NRT1-1230	30	12	27%	1393	1454	1556	1556
		GP8NRT1-1224	24	12	27%	1305	1350	1444	1444
		Specify Options 1. wellington, westminster, windsor or without molding* 2. walnut or cherry veneer* 3. finish*							
	Traditional Rectangular Base-Mid Unit Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers cut-out for wire pass-through adjustable glides	GP8NRTL-1230	30	12	27%	1451	1515	1614	1614
		GP8NRTL-1224	24	12	27%	1359	1404	1498	1498
		Specify Options 1. wellington, westminster, windsor or without molding* 2. walnut or cherry veneer* 3. finish*							
	Traditional Rectangular Base-End Unit with Access Door Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers open wire access top of panel adjustable glides access door opening: 12 1/8" x 11 1/8"	GP8NRTK-1230	30	12	27%	1690	1753	1853	1853
		GP8NRTK-1224	24	12	27%	1580	1625	1719	1719
		Specify Options 1. wellington, westminster, windsor or without molding* 2. walnut or cherry veneer* 3. finish*							





How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WOM	WNM	WLM	WSM
	144" Traditional Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 2¼" thick horizontal rail is 4¼"h WE8NPT1-43114 panel base with molding 43¼" w WE8NPT1-31114 panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides	WE8NPT1-43114	113¾	43¼	27%	4,878	4,975	5,339	5,339
		WE8NPT1-31114	113¾	31¼	27%	4,652	4,745	5,162	5,162
	120" Traditional Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 2¼" thick horizontal rail is 4¼"h panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides	WE8NPT1-3190	89%	31¼	27%	3,731	3,792	4,039	4,039
		WE8NPT1-3190	89%	31¼	27%	3,731	3,792	4,039	4,039
	96" Traditional Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 2¼" thick horizontal rail is 4¼"h panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides	WE8NPT1-3172	71%	31¼	27%	3,045	3,106	3,355	3,355
		WE8NPT1-3172	71%	31¼	27%	3,045	3,106	3,355	3,355
	72" Traditional Panel Base Standard Features hardwood solids and veneers flat cut, book-matched vertical veneers panels are 2¼" thick horizontal rail is 4¼"h panel with base molding 25¼" w top/base matrix on pgs. 108-109 adjustable glides	WE8NPT1-2548	47%	25¼	27%	2,438	2,501	2,748	2,748
		WE8NPT1-2548	47%	25¼	27%	2,438	2,501	2,748	2,748






How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	WOM	WSM
	<p>144" Traditional Panel Base</p> <p>Standard Features walnut solids and veneers flat cut, book-matched vertical veneers molding only on outside end panels panels are 1¼" thick horizontal rail is 4¼"h GP8NPT1-43114 panel base with molding 43¼" w GP8NPT1-31114 panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides</p>	<p>GP8NPT1-43114 GP8NPT1-31114</p>	<p>113¼ 113¼</p>	<p>43¼ 31¼</p>	<p>27% 27%</p>	<p>2,904 2,797</p>	<p>3,043 2,936</p>
	<p>120" Traditional Panel Base</p> <p>Standard Features walnut solids and veneers flat cut, book-matched vertical veneers molding only on outside end panels panels are 1¼" thick horizontal rail is 4¼"h panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides</p>	<p>GP8NPT1-3190</p>	<p>89%</p>	<p>31¼</p>	<p>27%</p>	<p>2,567</p>	<p>2,706</p>
	<p>96" Traditional Panel Base</p> <p>Standard Features walnut solids and veneers flat cut, book-matched vertical veneers molding only on outside end panels panels are 1¼" thick horizontal rail is 4¼"h panel with base molding 31¼" w top/base matrix on pgs. 108-109 adjustable glides</p>	<p>GP8NPT1-3172</p>	<p>71%</p>	<p>31¼</p>	<p>27%</p>	<p>2,223</p>	<p>2,362</p>
	<p>72" Traditional Panel Base</p> <p>Standard Features walnut solids and veneers flat cut, book-matched vertical veneers molding only on outside end panels panels are 1¼" thick horizontal rail is 4¼"h panel with base molding 25¼" w top/base matrix on pgs. 108-109 adjustable glides</p>	<p>GP8NPT1-2548</p>	<p>47%</p>	<p>25¼</p>	<p>27%</p>	<p>1,850</p>	<p>1,989</p>

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.

CONFERENCE BASES	DESCRIPTION/NOTES	MODEL	W	D	H	PRICE
	Disc Table Base	GP8NDS1-0024	23¾	23¾	27¾	634
	Standard Features 6" diameter post 23¾" diameter base silver powder-coated finish adjustable glides	Specify Options				
	Metal Base	GP8NMP1-0024	24	24	27¾	807
	Standard Features 24" diameter base 2" diameter leg black powder-coated finish 8" cut-out in bottom adjustable glides top/base matrix on pgs. 108-109	Specify Options				
	38" Metal Base	GP8NMC1-0038	38	38	27¾	694
	Standard Features adjustable glides top/base matrix on pgs. 108-109	Specify Options 1. metal finish black, no upcharge or chrome, add \$171				
	32" Metal Base	GP8NMC1-0032	32	32	27¾	575
	Standard Features adjustable glides top/base matrix on pgs. 108-109	Specify Options 1. metal finish black no upcharge or chrome, add \$142				
	Metal Legs	GP8NMRH-0003 GP8NMR1-0003			27¾ 27¾	894 224
	Standard Features 3" diameter leg black finish adjustable glides top/base matrix on pgs. 108-109 GP8NMRH-0003 (set of four) GP8NMR1-0003 (single leg)	Specify Options				

How To Order:

Specify model number and options listed with each product section. **Options marked with an asterisk are required.** Failure to do so will delay order processing. Options without an asterisk will be made standard if not otherwise specified.